





3140 DESTROYER

Ground-based, full body thrusting exercise. Chrome-plated weight pegs. Smooth pillow block bearings.



Dimensions:



Shipping Weight:



3124 SMITH MACHINE

25 lb counter-balanced Olympic bar. 5° path of motion. Linear bearings. Chrome-plated plate storage.



Dimensions: 53 x 84 x 92.5 in.





3229 PRO SERIES INCLINE LEVER ROW

Reduces low-back strain during lat work. Handle offers wide and neutral grips. Wheeled footplates for quick adjustments. Main frame is fully welded for maximum durability and rigidity.





Shipping Weight:





3110 INCLINE LEVER ROW

Reduces low-back strain during lat work. Handle offers wide and neutral orips. Chrome-plated, Olympic-sized weight peg. Main frame is fully welded for maximum durability and rigidity.

Rigid diamond plate foot platform.



75 x 41 x 50 in





3260 T-BAR ROW

Hits most major back muscles. Core and hamstrings used for stability. Chrome-plated plate storage. Adjustable handle height.



75.25 x 46.25 x 34.25 in.



Shipping Weight:



3136 LAT/LOW ROW

Snap link exchange to move between floor rows and pulldowns. Chrome load peas. Frame wearguards.



Dimensions: 83.5 x 48 x 91.25 in.



Shipping Weight:



3165 TRAP SHRUGGER

Fully welded construction. Chrome-plated Olympic load pegs.



Dimensions: 52.5 x 24.74 x 24.5 in.



Shipping Weight:



3220 GRAPPLER

Accommodates two Olympic bars. Weighted base plate. Supplied with wide grip handle and vee grip handle.



Dimensions: 12 x 29 x 6 in



Shipping Weight:



3308 UNILATERAL ANGLE LEG PRESS

Resistance/assistance band hooks.
6-position safety stops.
Extra long weight pegs can hold up to 13 plates.
Footplates can be used independently or together.
Closed linear bearings glide on 1½-inch solid steel rods.

Dimensions:
101.5 x 48 x 69 in.

Shipping Weight:

3122 ANGLE LEG PRESS

Linear bearings on case-hardened alloy steel shafts. Chrome-plated weight pegs

and angled weight horns.

Extra large footplate area and calf raise plate.



Dimensions: 89.5 x 66.5 x 58 in.



Shipping Weight 733 lbs.



Fully Welded Frame No Fasteners



3224 LEG PRESS/HACK SQUAT COMBO

Switch between exercises via removable footplate/seat back. Linear bearings on solid steel shafts at 45° angle. Unloaded carriage weight: 105 lbs.



Dimensions: 92.5 x 67 x 59 in.

Fully Welded Frame,


No Fasteners



Shipping Weight 397 Ibs.



Fully Welded Frame, No Fasteners



3123 HACK SQUAT

Linear bearings on solid steel shafts at 45° angle.

Chrome-plated weight pegs and angled weight horns. 36 by 36-inch footplate area.



Dimensions: 93.5 x 58 in.



Shipping Weight



Fully Welded Frame
No Fasteners



7016 PRO SERIES STEALTH LEG PRESS

Convert your rack or cage into a leg press.
Chrome-plated weight peg can hold up to eight 45-lb plates.
Can also hold a loaded barbell for additional weight resistance.
Low-positioned weight for proper resistance feel.
Adjustable starting positions.

Can be configured for step-ups or kick backs. Also functions as a push sled.



Dimensions: 34.25 x 49 x 41 in.



Shipping Weight: 274 lbs.









7015 STEALTH LEG PRESS

Convert your rack or cage into a leg press. Solid steel construction. Chrome-plated weight peg holds eight 45-lb plates. Low-positioned weight for proper resistance feel. Adjustable starting positions.



Dimensions: 34.25 x 49 x 41 in.



Shipping Weight 204 lbs.

PERFORMANCE SERIES
BY LEGEND FITNESS



3129 SQUAT MACHINE

Perform squats safely on horizontal or angled foot platforms.

Perform leaps to build explosive power. Removable Calf Blaster (silver vein finish only). Three starting heights.

Dual supports for starting height added.







3217 BELT SQUAT MACHINE

Perform squats without involving shoulders or back. Wide deck plate allows sumo stances, split squats, lunges, etc. Attach a handle for pull throughs, shrugs, or tricep extensions.









3135 LEG EXTENSION/CURL

Upholstered leg rollers. Smooth, durable pillow block bearings. Frame wearguards.



66.5 x 25 x 38.5 in.





3175 STANDING LEG CURL

Self-adjusting roller pad. Diamond plate foot platform. Chrome-plated Olympic weight peg.



Dimensions: 24.5 x 39.75 x 44 in.



Shipping Weight:



3119 SEATED CALF

Effective in isolating the soleus muscle and strengthening the Achilles tendon. Adjustable thigh pads.



Dimensions: 50 x 25.5 x 40 in.



Shipping Weight: 219 lbs.



3152 STANDING CALF

Angled, narrow footplate maintains foot placement and maximum stretch. Height adjustable.



Dimensions: 51.25 x 26.75 x 75.75 in.



Shipping Weight:

