

SELECT EDGE[®]

PREMIUM SELECTORIZED FROM *LEGEND FITNESS*[®]

TOUGH-AS-NAILS, SMOOTH OPERATING PLATE-LOADED PIECES

Featuring extreme user adjustability and ultra-smooth movements. Add in two-tone frames and upholstery standard and it's clear that LeverEDGE is the ultimate in personalized, plate-loaded machines. Load one up and you'll understand why it's revered by everyone who does a few reps.

CHECK OUT MORE LEGEND FITNESS INSTALLATIONS ONLINE.

Visit our website to get a look at corporate wellness centers, health clubs, athletic training centers, private gyms, and other showcases from all over the world. See the showcases featured here and more online at www.legendfitness.com/showcases.

Cherokee Country Club
Tennessee, USA

Executive Coatings
Colorado, USA

MET Fit
Massachusetts, USA

1100 CHEST PRESS

Wide foot bar raises handles to starting position. Extra large footplates made from thick, high density polymer. Extra wide handles provide multiple grip options. Mechanically assisted seat adjustment. 250 pound weight stack is standard. Effort reduction minimized for better weight feel.



Dimensions:
66.5 x 58 x 63.25 in.



Shipping Weight:
755 lbs.



1101 SHOULDER PRESS

Multiple wide and neutral grip positions. Mechanically assisted seat adjustment. Pillow block bearings move smoothly and are easily serviced. 250 pound weight stack is standard. Effort reduction minimized for better weight feel.



Dimensions:
58 x 58.5 x 63.25 in.



Shipping Weight:
690 lbs.



1102 LAT PULLDOWN

Large grips provide multiple hand positions. Fully upholstered, adjustable thigh rollers. Mechanically assisted seat adjustment. PowerMax pulleys prolong cable life. 250 pound weight stack is standard. Effort reduction minimized for better weight feel.



Dimensions:
79.5 x 58 x 63.25 in.



Shipping Weight:
710 lbs.



1103 SEATED MID-ROW

Extra large C-shaped handles for multiple grip positions. Chest pad adjusts for user arm length. Mechanically assisted seat adjustment. 250 pound weight stack is standard. Effort reduction minimized for better weight feel.



Dimensions:
62 x 54 x 63.25 in.



Shipping Weight:
690 lbs.



1104 BICEP CURL

Extra wide handles provide several grip positions. Dense foam padding and top-stitched 32 ounce vinyl upholstery. Partially hidden aviation-grade cabling. Mechanically assisted seat adjustment. 150 pound weight stack is standard. Effort reduction minimized for better weight feel.



Dimensions:
53.5 x 43 x 63.25 in.



Shipping Weight:
560 lbs.



1105 TRICEP EXTENSION

Deep handles for variable starting positions. Dense foam padding and top-stitched 32 ounce vinyl upholstery. Partially hidden aviation-grade cabling. Mechanically assisted seat adjustment. 150 pound weight stack is standard. Effort reduction minimized for better weight feel.



Dimensions:
45.5 x 41.5 x 63.25 in.



Shipping Weight:
690 lbs.



1106 AB CRUNCH

Non-linear movement for more freedom of motion. Shoulder pads fly up with a flick of the wrist to assist getting in and out. Foot pegs promote user stability. PowerMax pulleys prolong cable life. Mechanically assisted seat adjustment. 150 pound weight stack is standard.



Dimensions:
70 x 46.25 x 69 in.



Shipping Weight:
618 lbs.



1107 PRONE LEG CURL

Cable cam evenly distributes effort through each rep for better weight feel. Fully upholstered and articulated leg rollers. Adjustable grab handles. Chrome-plated adjustment surfaces. 150 pound weight stack is standard.



Dimensions:
60.5 x 50 x 63.25 in.



Shipping Weight:
603 lbs.



SELECTEDGE: PREMIUM SELECTORIZED

1108 LEG EXTENSION

Cable cam evenly distributes effort through each rep.
Fully upholstered and articulated leg rollers.
Extra long grab handles.
Seat back adjusts for user thigh length.
150 pound weight stack standard (upgrade available).
Effort reduction minimized for better weight feel.



Dimensions:
52.5 x 50.5 x 63.25 in.



Shipping Weight:
586 lbs.



1109 LEG PRESS

Large footplate is articulated by four pillow block shielded bearings.
Seat adjusts on linear bearings along solid steel guide rods. Seat back angle is adjustable.
Extra long grab handles.
400 pound weight stack is standard.
Effort reduction minimized for better weight feel.



Dimensions:
90 x 51 x 63.25 in.



Shipping Weight:
1050 lbs.



1110 GLUTE PRESS

Huge 20x24-inch knee pad accommodates users of all sizes.
Grippy footplate is high density, flex-proof polymer.
Linear bearings glide on chrome-plated guide rods.
Movement is encased for safety.
Adjustable grab handle nestled in extra large arm pad.
150 pound weight standard (upgrade available).
This machine features 2:1 pulley reduction.



Dimensions:
77 x 48.25 x 71 in.



Shipping Weight:
768 lbs.



1111 CALF EXTENSION

Steel footplate articulated via high-load pillow block bearings.
Seat back adjusts for user thigh length.
Partially hidden, aviation-grade cables.
Extra long grab handles.
250 pound weight stack standard (upgrade available).
Effort reduction minimized for better weight feel.



Dimensions:
68.25 x 50.5 x 63.25 in.



Shipping Weight:
665 lbs.



1112 SEATED LATERAL RAISE

Can perform bilateral and unilateral work outs.
Arms are fully adjustable to improve extension or control range.
Seat and chest pads are adjustable to accommodate various heights and postures.
150 pound weight stack standard (upgrade available).



Dimensions:
60.25 x 50 x 63.25 in.



Shipping Weight:
545 lbs.



1113 STANDING LATERAL RAISE

Partially hidden, aviation-grade cables.
Pivoting handles adjust to user arm length.
Easy pop pin adjustment.
150 pound weight stack is standard.



Dimensions:
53 x 29.5 x 63.25 in.



Shipping Weight:
475 lbs.



1114 SEATED PULLOVER

Foot lever brings the handles to a comfortable starting position.
Large cable cam keeps the effort consistent and more direct.
Partially hidden, aviation-grade cables.
Thick, upholstered forearm pads.
Mechanically-assisted seat adjustment.
200 pound weight stack (upgrade available).



Dimensions:
53.5 x 56.5 x 63.25 in.



Shipping Weight:
665 lbs.



1115 STANDING CALF

Easily adjustable shoulder pad for various heights.
Simple, straight forward design and quick setup.
Anti-skid footplate for safety and comfort.
Heavy duty flange pillow block bearings allow for smooth pivots and extended life.
300 pound weight stack (upgrade available).



Dimensions:
52.5 x 50.5 x 63.25 in.



Shipping Weight:
686 lbs.



1116 TORSO ROTATION

Partially hidden, aviation-grade cables.
Thick upholstered knee pad for added comfort.
Extra-long grab handles for any size user.
Easy pop pin adjustment.
150-pound weight stack (upgrade available).



Dimensions:
44.5 x 45.75 x 63.25 in.



Shipping Weight:
500 lbs.



1120 LAT PULLDOWN/LOW ROW COMBO

Two-position seat makes switching exercises simple.
Includes two patent-protected MAG handles.
UHMW polymer footplate provides a high traction surface and doubles as the row handle rest.
Aviation-grade cables are partially hidden behind steel tower shroud.
250 pound weight stack standard (upgrade available).



Dimensions:
74.5 x 41.5 x 95.5 in.



Shipping Weight:
982 lbs.



1121 REAR DELT/PEC FLY COMBO

Fully articulated handles automatically adjust to arm length.
Choose from one of eight handle starting positions.
Partially hidden aviation-grade cabling.
Mechanically assisted seat adjustment.
250 pound weight stack (upgrade available).



Dimensions:
50.25 x 55 x 83 in.



Shipping Weight:
665 lbs.



1122 DIP/CHIN ASSIST COMBO

Three grip options: wide, neutral and rock climbing.
Dip handles rotate out of the way for chin-ups.
Thickly padded knee platform folds away for unassisted reps.
UHMW steps with high traction surfaces.
PowerMax pulleys prolong cable life.
A 200 pound weight stack is standard.



Dimensions:
47.5 x 44.5 x 89 in.



Shipping Weight:
720 lbs.



1123 INNER/OUTER THIGH COMBO

Cam design equalizes effort between inner and outer thigh exercises.
Cam-adjusted seat offers seven backrest angles.
Switch between exercises with a single pop pin.
Dense foam padding features high quality, top-stitched upholstery.
Partially hidden, aviation-grade cables.
200 pound weight stack standard (upgrade available).



Dimensions:
56.7 x 68.5 x 63.25 in.



Shipping Weight:
703 lbs.



1124 MULTI PRESS

Linear bearings provide easy and smooth seat back adjustments.
11 seat back angles and 5 handle angles.
Partially hidden cables.
250 pound weight stack is standard (upgrade available).



Dimensions:
52.5 x 50.5 x 63.25 in.



Shipping Weight:
750 lbs.



1125 LEG EXTENSION/CURL COMBO

Chrome-plated adjustment plates with pop pins for smooth transitions.
Partially hidden aviation-grade cabling.
250 pound weight stack is standard.
Effort reduction minimized for better weight feel.



Dimensions:
63.5 x 49 x 63.25 in.



Shipping Weight:
950 lbs.



1130 FUNCTIONAL TRAINER

Chrome-plated columns with laser cut numbering.
Multiple pull-up options, including rock climbing grips.
Back panel features attachment storage and large instructional placard.
PowerMax pulleys extend cable life.
250 pound weight stacks standard (upgrade available).
Pictured attachments are included.



Dimensions:
50 x 67 x 90.25 in.



Shipping Weight:
1305 lbs.



SELECTEDGE: PREMIUM SELECTORIZED

1131 CABLE CROSSOVER

Adjustable cable crossover with multiple pull up bars. Partially hidden cables and sleek SelectEDGE styling. Up to two users can train at once. 200 pound weight stacks are standard. Weight stack upgrades available.



Dimensions:
31.5 x 159 x 93.5 in.



Shipping Weight:
1600 lbs.



1132 CABLE CROSSOVER PLUS

Adjustable cable crossover with seated row, lat pulldown, and multiple pull up bars. Partially hidden cables and sleek SelectEDGE styling. Five users can train at once. MAG grips on row and pulldown eliminate the need for wrist straps or gloves. The cable crossover has two 200 pound weight stacks with 2:1 pulley reduction, and the seated row and lat pulldown have 250 pound weight stacks. Weight stack upgrades available.



Dimensions:
161 x 106 x 93.5 in.



Shipping Weight:
2290 lbs.



1134 FOUR STACK

Chrome-plated adjustment plates with pop pins for smooth transitions. Partially hidden aviation-grade cabling. The adjustable cable columns have 200 pound weight stacks with 2:1 pulley reduction. The seated row and lat pulldown have 250 pound weight stacks. Weight stack upgrades are available.



Dimensions:
148.5 x 69 x 93.5 in.



Shipping Weight:
1795 lbs.



Dual pulley version is model 1134DP.



1135 FIVE STACK

Chrome-plated adjustment plates with pop pins for smooth transitions.
Partially hidden aviation-grade cabling.
The adjustable cable columns have 200 pound weight stacks with 2:1 pulley reduction. The seated row and lat pulldown have 250 pound weight stacks. Weight stack upgrades are available.



Dimensions:
148.5 x 186 x 93.5 in.



Shipping Weight:
2663 lbs.



Dual pulley version is model 1135DP.



1136 SIX STACK

Chrome-plated adjustment plates with pop pins for smooth transitions.
Partially hidden aviation-grade cabling.
The adjustable cable columns have 200 pound weight stacks with 2:1 pulley reduction. The seated row and lat pulldown have 250 pound weight stacks. Weight stack upgrades are available.



Dimensions:
31.5 x 159 x 93.5 in.



Shipping Weight:
3860 lbs.



1138 EIGHT STACK

Adjustable cable crossover with multiple pull up bars in center.
One column has an adjustable pulley on the outside, a dual pulley seated row, and a dual pulley lat pulldown.
One column has an adjustable pulley on the outside, a seated row, and a lat pulldown.
Partially hidden cables.
Up to nine users can train at once.
The cable crossover and the outer adjustable cables all have 200 pound weight stacks with 2:1 pulley reduction. The seated row and lat pulldown have 250 pound weight stacks. Weight stack upgrades are available.



Dimensions:
148.5 x 214 x 93.5 in.



Shipping Weight:
4377 lbs.

